

EGNDOC-CCV-001

COMMAND OPERATIONS MANUAL  
CERBERUS CLASS VESSELS  
REVISED 29 DEC 2367

# IRON HELIX™



## OPERATIONS MANUAL



DREW  
PICTURES

Commanders are responsible for bringing this publication to the attention of all relevant personnel cleared for operation of Cerberus Class Destroyers

Published under authority of the  
Secretary of the Earth Galactic Navy

  
Spectrum  
HoloByte



31 Oct 2365

From: Gilman Louie, Commander-in-Chief  
Re: Customer Support

If you have any questions about *Iron Helix* or any of our other products, please contact Spectrum HoloByte Customer Support at:

☛ Spectrum HoloByte  
2490 Mariner Square Loop  
Alameda, CA 94501  
ATTN: Customer Support

☛ (510)522-1164  
9:00 AM to 5:00 PM Pacific Time  
Monday through Friday  
Fax (510)522-3587

#### America Online:

To reach our Customer Support board in the Industry Connection, press **[Ctrl][K]** for "Go to Keyword." Then type **SPECTRUM** in the Keyword window. You can also send electronic mail to Customer Support at s HOLOBYTE.

#### CompuServe:

To reach our Customer Support board in the Game Publishers B Forum, type **GO GAMBPUB** at any "!" prompt. Then select "Section 3" for Spectrum HoloByte. You can send electronic mail to Customer Support at 76004.2144.

#### GEnie:

To reach our Customer Support board in the Games RoundTable, type **M805;1** at any "?" prompt. Then select "Category 18" for Spectrum HoloByte. You can also send electronic mail to Customer Support at HOLOBYTE.

#### Internet:

You can send electronic mail to Customer Support at 76004.2144@compuserve.com.

#### Prodigy:

You can post and read messages in the "Miscellaneous A-L" topic on the Game Club bulletin board (located in the Game Center area). You can also send electronic mail to Customer Support at TKNJ33A.

#### Spectrum HoloByte Customer Support BBS:

To reach our Customer Support BBS, phone (510)522-8909 [8-N-1]. The BBS has four lines and is open 24 hours a day. The BBS supports from 300 baud to 14.4K (v.32bis) and Xmodem, Ymodem and Zmodem transfer protocols. After you are logged in, just follow the onscreen prompts to sign on as a new user.

If you are having problems with *Iron Helix*, we can best help you if (1) you are at your computer when you call, and (2) you have the following information handy:

- Version number or serial number of *Iron Helix*
- Your computer's brand and model
- Your computer's BIOS brand and version number
- Total RAM installed in your computer
- Name and version number of your operating system [MS-DOS or DR-DOS]
- Name and version number of your memory manager [such as GEMM or 386MAX]
- Video card brand and model name
- Mouse brand and version number of mouse driver
- Sound card brand and model name
- Contents of AUTOEXEC.BAT and CONFIG.SYS files
- Type **MEM** /c at the DOS prompt and copy down the onscreen listing

# IRON HELIX

## Table of Contents

Welcome .....	2
Installation and Loading .....	2
Play Now — Read Later .....	3
The Down and Dirty Quick Start .....	4
Background .....	6
Your Mission (Distress Beacon) .....	7
Restricted Information and Additional Mission Documents .....	8
Crew Personnel Dossiers .....	8
The Captain's Orders .....	12
Playing <i>Iron Helix</i> .....	13
Skill Levels .....	13
Navigation .....	13
Four Phases of Play .....	13
Phase 1: Collect DNA .....	14
Phase 2: Locate Video Clues .....	15
Phase 3: Eliminate the Defender .....	15
Phase 4: Destroy the Ship .....	15
Darwin 5 Operations Manual .....	16
Probe Control Interface (List of Features) .....	18
The Robotic Data Arm .....	23
Scanning Modes .....	24
Using Organic Samples .....	26
Navigation Techniques/Evasive Maneuvers .....	26
Using the Ship's Computers .....	26
Defender Robot Briefing .....	27
Hints and Tips .....	28
Technical Notes and Credits .....	29
Keyboard Commands/ <i>Jeremiah Obrian</i> Deck Plans .....	32



## Welcome

The creators of *Iron Helix* would like to welcome you to a new kind of CD-ROM game experience.

We've designed a game specifically for CD-ROM that would play as fast as possible while maintaining high-quality graphics. We have made every effort to eliminate long file loads and delays. You should see a noticeable difference between the performance of this CD-ROM and that of other CD-ROM games.

*Iron Helix* is designed to play back smoothly on any IBM compatible with the minimum system requirements. However, the transfer rate of your CD-ROM drive, the buffering of your controller card and the processor speed of your CPU will be the real determining factors for the game's performance.

## Installation and Loading

Thank you for purchasing *Iron Helix*! Please read the following section carefully and follow the directions to install *Iron Helix*.

### System Requirements

In order to play *Iron Helix*, you need the following:

- IBM 16MHz 80386sx compatible or faster
- Microsoft Windows 3.1
- 4MB RAM
- Super VGA graphics (256-colors in 640x480 resolution or higher)
- Hard drive required (with 14MB of free space)
- CD-ROM drive (150 Kb/sec sustained transfer rate or better recommended)
- Double-speed CD-ROM recommended
- Sound Blaster or compatible required

**NOTE:** If you do not have one or more of the above required features, you will be unable to play *Iron Helix*.

### Before Installing

First of all, be sure that the hard drive you will be installing to has at least 14MB free. Once that has been established, you can begin installation.

In addition, it is crucial you have the proper CD-ROM drivers installed on your system. If you are unsure whether these drivers are installed, consult your CD-ROM owner's manual for more information.

### Installation

- 1) Insert the *Iron Helix* CD-ROM in your CD-ROM drive.

- 2) Start Windows in the normal fashion (usually by typing **win**).
- 3) After Windows loads, go to the Program Manager's "File" menu and select "Run..." In the command line box, type **d:\readme.wri** (if your CD-ROM drive is in a location other than d, substitute that letter for d in the above line). Then select the OK button to launch the file.



This file contains troubleshooting information, last-minute changes and other important instructions you need to see. **Please check here if you have any questions before calling our customer support**

- 4) After you're finished reading the file, exit the word processor and follow the directions in Step 3, but run the file **install.exe** instead of the **readthis.wri** file. This will run the installation program.
- 5) A dialog box will then appear asking you where you would like to place *Iron Helix* on your hard drive. (The default is c:\HELIX.) When you choose the drive and location you want, click on the OK button. These files will take up approximately 14MB of hard drive space.
- 6) When installation is complete, a new group named "Drew Pictures" will be located on your hard drive.
- 7) To run *Iron Helix*, double-click on the **IRON HELIX** icon in this new group.
- 8) Enjoy!

## Play Now — Read Later

This manual opens with a Quick Start guide that will get you playing *Iron Helix* immediately. You don't have to know anything about the game in order to play and have fun. Most people never read the manual anyway. If you're one of these people, you can go directly to the Quick Start and will probably never have to open this manual again.

If you want to learn more about the nuances of playing *Iron Helix*, discover some clues, or just put yourself into the mind set of the ship's crew, read on past the Quick Start. You can save yourself some time figuring out what happened and from getting blasted by the Defender just by browsing through some of the pages and reading whatever catches your eye.

So, have fun and thanks for buying *Iron Helix*. Give us a call sometime and let us know what you think — we're really interested in your feedback.

The *Iron Helix* Team





## The Down and Dirty Quick Start

To play *Iron Helix* immediately, here's all you need to know:

### Objective

Your mission is to board the renegade ship *Obrian* with your probe and gain security access to the rooms and computers. You must search the ship for ways to prevent it from deploying its weapons against a peaceful planet. The ship has a backup security device that aggressively pursues and destroys intruders. It is a robotic Defender which is heavily armed and capable of performing all ship functions in order to carry out the orders administered by the ship's computer. You must avoid this Defender and will have to get rid of it in order to win.

### Using the Interface

After you install and boot up, you'll go through the introduction. Then you'll be given your Probe Control Interface. This interface is the main control and navigation panel for *Iron Helix*. Here's how to use it:

- Click the green highlighted directional arrows to move your probe throughout the ship.
- Locate DNA by monitoring the Scan Direction Indicator as you move around.
- Acquire crew DNA to use as access keys for doors and computers.
- Use the **SCAN** Button to scan for DNA. Use the **ARM** Button to deploy your robot arm and plug into data ports.
- Use the **JAM** Button to scramble the Defender's sensors and to temporarily confuse it. (Note: Jamming significantly depletes your probe's energy!)
- Steer the robot arm and scanner by clicking on the video screen to link with computer ports and locate DNA keys respectively.
- Toggle between three map modes to navigate your probe and to keep track of the Defender robot.

### General Information

- Up to three DNA keys can be stored in your probe's on-board RAM.
- Access the ship's computers and stop them from deploying the doomsday weapon, or activate the ship's self-destruct sequence.
- Get DNA from high-ranking crew members to access more areas of the ship and attain higher access to computers.
- Avoid direct confrontations with the Defender robot. (However, you will need to get rid of him in order to win.)

- After acquiring the right DNA (see "Going from Phase 1 to Phase 2 on page 29), log onto ship computers to uncover the crew's video logs that contain the vital clues needed to stop the ship.
- Be observant and use your ingenuity to get rid of the Defender and stop the ship.

## The Four Phases of Play — How to Win

To complete *Iron Helix*, you must achieve four phases (or goals) in succession.

- 1) The first phase requires you to find three high-ranking DNA keys (left by the ship's crew) which will allow you to open all doors and access all computers.
- 2) The second phase requires you to uncover methods of stopping the ship by acquiring the computer bypass codes which will enable you to win. These can be found in video messages left by the crew in their last desperate hours before being killed.
- 3) The third phase requires you to somehow get rid of the Defender robot. It must be eliminated before you initiate any of the bypass codes or else he will override them. The clues that will help you eliminate the Defender robot are in the video messages.
- 4) The fourth and final phase is the execution of the winning code to stop the ship. After you get rid of the Defender robot, you will have about five minutes before the ship launches another one, so you'll have to act fast. If you fail to execute the win scenario in time, you'll be demoted back to the third phase. You will then have a second chance to get rid of the Defender and initiate a win scenario. (If you fail to initiate a win on your second try, the weapons will launch and the game will be over.) But if you successfully initiate a win scenario, you will stop the ship from reaching Calliopé and will have saved the universe.







## Background

It is far into the future, and the Earth is in a state of cold war with an alien race known only as the Thanatosians. Humanity, having solved its own problems of disease and prejudice, has found a new enemy on which to vent its hatred.

Soon all of Earth's resources are directed towards preparations for an impending war that could occur on a galactic scale. The Earth's military industrial complex begins to work feverishly on powerful new weapons of doom, and tension mounts as armies of ships are deployed.

Somewhere, in a highly classified sector of space, a powerful ship carrying a doomsday weapon is participating in war game maneuvers. The ship is a Cerberus Class Destroyer named the *SS Jeremiah Obrian*, and it contains a payload so secret that even the crew is ignorant as to its exact nature. The ship is carrying a new weapon considered to be the H-bomb of its era, armed and ready to be used against the Thanatosians.

The war game is terrifyingly realistic, perhaps too realistic for the ship's computers. The computer takes control of the *Obrian* and initiates an attack plan for Calliopé, a small, Earth-like Thanatosian planet. The ship's crew and Captain attempt to override the computer, but the computer fails to recognize the Captain's DNA access code and ignores all attempts to stop the ship.

Unbeknownst to the crew, the weapon they are carrying contains a deadly virus which quickly attacks the cells of an organism, mutating DNA and rendering the body unable to carry out vital metabolic functions. Within hours, an infected organism dies, deprived of its ability to manufacture vital metabolic proteins.

Unable to resist the virus or interface with the computers, the crew dies off one by one. The ship heads towards Calliopé carrying a weapon that will start a war that could end all life in the universe.

Meanwhile, only a few high-ranking officials are aware of the ship's cargo and programmed target. Precious time elapses before word reaches military HQ, but by then the Cerberus *Obrian* is all but unstoppable, programmed to deliver its virulent payload swiftly and with deadly precision. A high-priority emergency beacon is broadcast in the slim hope that someone, somewhere, might intercept the ship.

Someone *does* receive that beacon, and that someone is **you**.

You are on board the Science Ship *Indiana*. It is poorly manned and weaponless, but it does have a powerful tractor beam. It could latch onto the *Obrian* and tow you along while you figure out a way to stop it. Your ship may be slow, but what it lacks in speed it makes up for with navigational accuracy. You're able to plot an intercept course and proceed to the correct coordinates.



With a potentially deadly virus on-board, your only option is to send in a probe and hope it can get past whatever defense mechanisms the ship might possess. The only hope of destroying the ship or disarming the weapon is your Darwin 5 probe. With just six hours before the *Obrian* breaches Thanatosian space, you have little time to spare.

The Zoological Probe you carry can only observe and gather microsamples of organic life. It cannot attack or even defend itself, but it *can* interface with the *Obrian's* computers, and that just might be enough for you to sabotage the mission and avert a holocaust.

## Your Mission

When word reaches Earth's Military High Command that the *Obrian* is out of control and locked on target, an Emergency Beacon is immediately dispatched throughout space. Your ship intercepts this beacon and is the only one capable of stopping the *Obrian* before it reaches its target.

Here is the hard copy of that distress beacon:

○	!EMERGENCY BEACON! !EMERGENCY BEACON!	○
○	TO ANY EARTH VESSEL...THIS IS A PRIORITY 1 ALERT INTERCEPT ACTION DISTRESS BEACON - CODE RED...	○
○	ANY VESSEL IN OR NEAR SECTOR 12, QUADRANT BETA 38 MUST COMPLY WITH THIS BEACON PURSUANT TO THE EMERGENCY SPACE RESCUE ACT	○
○	A RUNAWAY SHIP IS APPROACHING THE NO-FLY ZONE...CERBERUS SS JEREMIAH OBRIAN WILL INTERSECT THE NFZ AT COORDINATES 57.9.004- 02.13.007...SHIP'S CREW DOWN...COMMUNICATIONS DOWN...SHIP PROGRAMMED AND ARMED FOR CLASSIFIED TARGET BEYOND THE NO-FLY ZONE...STOP THIS SHIP AT ALL COSTS...REPEAT...STOP THIS SHIP AT ALL COSTS...	○
○	TARGET AND ARMAMENT INFORMATION UNAVAILABLE... CAUSE AND NATURE OF MISHAP UNKNOWN...CREW STATUS UNKNOWN...SHIP'S COMPUTERS CONTROL NAVIGATION AND WEAPONS SYSTEMS...OVERRIDE CODES CURRENTLY UNAVAILABLE...INTERCEPT AND BOARD SHIP...OVERRIDE WEAPONS OR HELM...DESTROY SHIP IF NECESSARY...REPEAT...DESTROY SHIP IF NECESSARY...	○
○	IF YOU HAVE RECEIVED THIS BEACON YOU ARE THE LAST HOPE...THIS IS A CODE RED EMERGENCY INTERCEPT ORDER...YOU MUST COMPLY...YOU MUST STOP THIS SHIP...	○



## Restricted Information and Additional Mission Documents

After you acknowledge the receipt of the emergency beacon, you receive the following information from Earth Military High Command. It is all of the currently available information about the renegade ship, her mission and her crew. It may prove useful in your endeavor to stop the ship.



### RESTRICTED

Deep-space Personnel Deployment Orders  
17 OCT 2378

Vessel ID CCV-JOB-00817J-1.42, *SS JEREMIAH OBRIAN*  
Crew Complement: 12

Captain: Parrish, William/Commander  
First Officer: Ingram, Catherine/Lieutenant Commander

### Crew Personnel Dossiers



#### Parrish, William/Captain

William "Buck" Parrish: Fleet Commander

5'10", 180 lbs Hair: Gray, Eyes: Grn Age: 44

Graduated first in Academy class of '58. Served as Ensign on the first Cerberus Class Destroyer *SS Jefferson*, rose through ranks to become the Fleet's youngest Commander. Led first exploratory mission into Thanatosian space, commanded the lead ship in the Thanatosian Standoff, three Service Commendations for Bravery and Excellence in field. Wife and children killed in an explosion during a raid on Neptune Outpost XII.

*continued...*



**Ingram, Catherine/First Officer**

Cate Ingram: Fleet Lieutenant Commander, Special Forces Officer and Covert Operations Specialist

5'6", 135 lbs    Hair: Blnd, Eyes: Blue    Age: 32

Graduated at top of Academy class, SIA Special Training in covert operations, espionage and deep-space operations. Six years Classified Cerberus duty on outer rim serving on the *SS Henry*, the *SS Revere* and the *SS Washington*. No family.



**Blatman, Jacob/Medical Officer**

Jake Blatman, MD, PhD/Surgeon: Physician and Psychiatrist

5'9", 158 lbs    Hair: Blk, Eyes: Blue    Age: 37

Served three years on Titan Outpost with 6th Fleet. Served on two deep-space reconnaissance missions, 23 search-and-rescue squadrons and one Cerberus Class Destroyer (the *SS Hibernia*) during the Thanatosian Standoff. No wife or children, no traceable relatives.



**Semenovskiy, Tatyana/Security Officer**

Tatyana Semenovskiy: Fleet Officer

5'7", 134 lbs    Hair: Brn, Eyes: Brn    Age: 32

Ranked fourth in graduating class, Military Academy of Intelligence and Investigation. Seven missions as an SIA Covert operative. Assignment classified. Security Class 1 Command Level Clearance. 11 months Special Aide to Security Council Deputy Horton. No husband or children. No known family.



**Geist, Joseph/Chief Engineer**

Joe Geist: Fleet Engineer 1st Class

5'10", 185 lbs    Hair: Blk, Eyes: Gray    Age: 35

Served 12 years as Engineer on *SS Atlanta*, four as Chief Engineer on Cerberus *SS Alexander Hamilton*. Requested assignment on a deep-space Cerberus Class vessel. No wife or known family.

*continued...*



**Zyzinski, Carla/Engineer**

Carla Zyzinski: Fleet Engineer 1st Class

5'5", 128 lbs    Hair: Brn, Eyes: Brn    Age: 30

Graduated Fleet Academy with Honors. Served four years as an Engineer 2nd class on *SS Marshall*. Cerberus Operations Engineering Certification, August 2377. No husband or family.

**Ichikawa, John/Navigator**

Jack Ichikawa: Fleet Navigation Specialist

5'8", 146 lbs    Hair: Blk, Eyes: Brn    Age: 35

Served six years on the *SS Perry* mapping uncharted space in Sector IX. Served as a navigation officer under Fleet Admiral Brady Scott for 17 months on the flagship *SS Columbia*. No wife or family.

**Benedetti, Robert/Weapons Specialist**

Bobby Benedetti: Fleet Ordnance and Special Weapons Officer

5'9", 145 lbs    Hair: Brn, Eyes: Brn    Age: 32

SIA Academy Tactical Weapons, Biological and Genetics Weapons Systems Engineer Classified Assignment 2371-75, SIA Genetic Research Lab Director 2376-77. All other information regarding Robert Benedetti is classified.

**Hendryx, Wayne/Communications**

Wayne "Wayne-O" Hendryx: Fleet Communications Officer 1st Class

5'10", 175 lbs    Hair: Brn, Eyes: Grn    Age: 28

Deep-Space Communications specialist, SIA Covert Communications Certification. One of the few communications officers capable of speaking Thanatosian. No known family.

*continued...*

**Garrett, James/Ensign**

Jim Garrett: Ensign 1st Class

6'0", 180 lbs      Hair: Brn, Eyes: Brn      Age: 24

Graduate of Fleet Academy, Honors in Mathematics and Computer Science. Three months training on deep-space cruiser *SS Niven*. Transfer granted 9 Sep 2376 to *SS Revere*. No known family.

**Stafford, Francis/Ensign**

Frank Stafford: Ensign 2nd Class

5'11", 165 lbs      Hair: Brn, Eyes: Brn      Age: 27

Graduate of Fleet Academy, scored in 95th percentile on EGN Mechanical Aptitude Test. Two months assignment on Outpost Theta VII. Field research completed on Edera-2 Colony, 29 June 2376. No known family. Ensign Stafford is currently on leave.

**Franc, Chris/Science Officer**

Chris Franc: Fleet Science Officer 1st Class, PhD  
Astrobiology

5'7", 185 lbs      Hair: Brn, Eyes: Grn      Age: 32

Third EGN tour of duty. PhD in Astrobiology with Honors from Fleet University for Advanced Education. Discovered microorganism Sartrice near quasar Delta Quinn, 19 May 2373. No known family. Science Officer Franc is currently on leave.

*End Transmission*





## The Captain's Orders

Commander Parrish received confidential orders regarding his ship and its payload before the *Obrian* commenced its war games. None of the crew were aware of the nature of these instructions nor were they informed directly about the highly classified nature of their war games.



### RESTRICTED

Confidential Mission Orders  
18 OCT 2378

Vessel ID CCV-JOB-00817J-1.42, *SS JEREMIAH OBRIAN*  
Crew Complement: 12

Captain: Parrish, William/Commander  
First Officer: Ingram, Catherine/Lieutenant Commander

Captain:

The situation with the Thanatosians has grown increasingly volatile. The *Obrian* is to rendezvous with the Cerberus *SS John Paul Jones* at coordinates 58.6.004-02.14.008. There you will initiate mock-attack Exercise 7B with the *JP Jones* and keep the ship ready on our side of the NFZ.

The *Obrian* has been prepared for a possible suicide run into Thanatosian space. It is carrying the usual complement of space-to-ground attack devices including a powerful new weapon, the nature of which is highly confidential and will be explained in a briefing if orders are given to deploy it. Weapons Officer Benedetti is fully briefed and capable of maintaining and deploying the weapon properly. It is codenamed *Iron Helix*. The *Obrian* and the *JP Jones* will be our only hope if the Thanatosians attack.

Good luck.

*End Transmission*

That is all of the information that you have about the renegade ship and her crew. All other information is classified and may be made available to you during a debriefing should you successfully stop the ship.

## Playing Iron Helix

Following are some basic instructions to help you get started in *Iron Helix*.

### Skill Levels

Each Skill Level of *Iron Helix* is a different game. There are different kinds of booby traps for the Defender, different ways to stop the ship and some extra surprises in each level. If you complete one skill level, it doesn't mean you've seen all there is to see in the game.

**Beginner:** This level is designed to allow you to become familiar with the interface and is the least challenging level. DNA is everywhere, video clues are easy to find and the Defender is slow.

**Intermediate:** This level is more challenging. DNA is intelligently placed, video clues are sparse and booby traps are tough to execute. There is also a hidden chamber not found in the previous skill level that contains a vital clue.

**Advanced:** This level is for the real gamers. The defender is wicked fast, clues are tough to locate and the high-ranking DNA is nestled within three or more layers of rooms. There is also another secret chamber to explore.

### Navigation

You move your probe throughout the ship by clicking on the green navigation arrows (or by pressing the **↑**, **←**, **→**, **↓**, **[Pg Up]** and **[Pg Dn]** keys on the keyboard). If you want to move the probe all the way down a long corridor, press the **[Tab]** key. This will change the available movement to double green arrows (known as *unconstrained movement*). Then, when you select a forward or backward navigation arrow, your probe will navigate until it encounters a wall or door. Selecting a left or right movement arrow will rotate your probe 180°. After selecting one of these actions, the navigation controls will revert to single arrows (*constrained movement*).



CONSTRAINED MOVEMENT



UNCONSTRAINED MOVEMENT

### Four Phases of Play

To successfully finish *Iron Helix*, you must complete four separate phases of the game. You will be informed by a status screen when you complete each phase. These phases are explained following:







## Phase 1: Collect DNA

To complete Phase 1, you need to locate three different DNA samples from high-ranking crew members. Certain crew members' DNA will allow you access to computer banks and secured areas of the ship. During this phase, you are exceptionally vulnerable to the Defender because you will be continually searching for DNA.

### Finding DNA Samples

The Scan Direction Indicator on your green info monitor (in the upper right-hand corner) will alert you to DNA in your probe's immediate area. The Indicator displays a vertical bar under the direction arrow where you should turn to scan the DNA. To scan DNA, maneuver your probe so that the vertical bar is on the far left (i.e. the DNA is directly in front of you).



SCAN DIRECTION INDICATOR

Once you are facing the direction of the DNA, click on the **SCAN** Button and the location of the DNA clue will blink on your video monitor (if the default Pre-Scan mode is ON). Now you can click on the DNA clue to enhance and identify it. If you decide to acquire it, click the **ACQUIRE SAMPLE** Button on the info monitor, and it will be automatically stored in your DNA database.



ACQUIRE SAMPLE BUTTON

### Staying Alive

You must constantly avoid the Defender in order to stay alive while collecting the clues you need to advance to the next level. You have three probes to work with, but there are a number of things you can do to avoid being killed.

There are three map displays you can use to navigate through the ship and locate the Defender. (The buttons for each are directly under the green info monitor.) The button on the left shows where your probe is on the ship (indicated by a triangle). The center button will show the deck level and position of the Defender (indicated by an "X"). The right button shows a 3-D map of all six levels with your probe and the Defender's relative position.



MAP BUTTONS

You also have the opportunity to temporarily confuse the Defender by jamming it. When the Defender is close to your probe, the bar under the video monitor will flash yellow. If you are in immediate danger, this bar will flash red. You can then choose to use your **JAM** Button to disorient the Defender. (Jamming does deplete your probe's energy which could then result in probe failure.) **NOTE:** Jamming is more effective when you move after you jam.

## Phase 2: Locate Video Clues

Once you have acquired the three DNA samples you need, your next task is to locate the hidden video messages left by the crew. You need to find at least two distinct types of messages. One will show you a way to eliminate the Defender robot, and the other will show you a way to stop the ship. These messages are located on various computer data ports throughout the ship.



DOOR DATA PORT



DESK DATA PORT

### Accessing Data Ports

When you are at a location that contains a video message in the data port, you will see a message that says "Message in Data Port" in your green info monitor. After the message is played once, any information in these video messages will automatically be recorded in your database. The clue can be called up by clicking on the **NOTES** Button on your interface.

## Phase 3: Eliminate the Defender

Once you have found the two video clues necessary to complete the game, you must use the one that explains how to disable or destroy the Defender robot first.

### Using Access Codes

One of your video clues will explain how to defeat the Defender. Follow its directions at the location indicated in the clue, and then use the ship's computers to execute the access code that will stop the robot. You can access the computers by linking with the data port specified in the clue.

## Phase 4: Destroy the Ship

Once the Defender is out of the way, you have approximately five minutes to input the access code to stop the ship. If you wait too long, another Defender will be launched. Navigate your probe to the location given on the video message and interface with the data port there. After you input the access code, congratulations! You're victorious and the universe is safe again. Try again on a higher level, where the Defender gets nastier and the clues are harder to find.





EGNDOC-DSZ-001

DSZ/D-5 OPERATIONS MANUAL

Creation Dynamics, Ltd.'s

# DSZ/D-5 "Darwin 5" Scientific Observer


(models 0632-0645 inclusive)

## OPERATIONS MANUAL

REVISED 5 MAY 2342

### The Darwin 5 Probe

The *Indiana* is equipped with a specialized science research robot designed for passive biological observation. The Deep Space Zoological Probe Darwin 5 (DSZ/D-5), commonly known as Darwin, is a biological research and wildlife observation probe. The DSZ/D-5's primary purpose is the passive observation of life and collection of biological data in remote environs on the outer rim of the galaxy. Its dual-speed, anti-gravity propulsion mechanism is capable of operating uninterrupted for periods in excess of 90 days.



Darwin is equipped to observe both micro- and macroscopic life forms in remote locations. An on-board mobile scanning electron microscope combined with an MMRS (Micro-Materials Replication/Synthesis) unit is capable of observing and retrieving organic samples from the harshest of locations.

## **Designed for Remote Control**

Although Darwin is capable of carrying out routine biological research and observation independently, it is most efficient when controlled by a human operator through a remote control interface. All functions can be monitored and adjusted, and both audio and visual feedback can be gathered in real time from an alien environment.

## **The Remote Control-Data Probe Interface**

Darwin can be controlled via most ships' on-board Remote Control units and has been retrofitted to accept commands from all units dating back to 2288 (inclusive of models RC-DPO1/A-RC-DP4321/S).

### **IMPORTANT SAFEGUARD:**


Darwin is a passive exploration probe incapable of aggression. Its only purpose is to observe and record. The presence of weapons of any sort could be misconstrued by newly discovered lifeforms as an act of aggression and result in irreparable damage. In the face of imminent danger, flight or surrender is highly recommended. Darwin is replaceable and would not represent a technological security risk should it fall into the hands of a potential enemy. With this in mind, Darwin was purposely constructed with outdated technology.

## **Features of the Remote Interface**

The Darwin 5's Remote Interface is a straightforward approach to remote probe guidance and navigation. An automatic real-time video feedback system was integrated with a long-distance digital data transmitter and an enhanced aural receiver. This combination of equipment provides an optimum control interface for the passive observation of lifeforms in remote locations.



## Probe Control Interface



### Key:

- |                                    |                                   |
|------------------------------------|-----------------------------------|
| 1. VIDEO FEEDBACK SCREEN           | 12. AUDIO VOLUME CONTROL          |
| 2. PROBE CONTROLS BUTTON           | 13. COMMANDS EXECUTION BUFFER LED |
| 3. ROBOTIC DATA ARM BUTTON         | 14. POWER LEVEL WARNING LED       |
| 4. SCAN INITIATION BUTTON          | 15. NOTES BUTTON                  |
| 5. JAMMING SIGNAL BUTTON           | 16. PAUSE BUTTON                  |
| 6. VIRTUAL INTERFACE MONITOR       | 17. SAVE BUTTON                   |
| 7. PLAN VIEW OF PROBE'S LOCATION   | 18. QUIT BUTTON                   |
| 8. 3-D AREA-AT-A-GLANCE            | 19. HORIZONTAL NAVIGATION BUTTONS |
| 9. PLAN VIEW OF SUBJECT'S LOCATION | 20. VERTICAL NAVIGATION BUTTONS   |
| 10. MAP DISPLAY SCREEN             | 21. THREAT WARNING LIGHT          |
| 11. AUDIO FEEDBACK SPEAKER         |                                   |

## 1. Video Feedback Screen

The larger of the two feedback monitors on the Remote Control is the Video Feedback Screen. It provides real-time video feedback linked from the remote environment. It also functions as a remote manipulation interface for the scanner and the robot arm. In addition to these functions, the Video Feedback Screen displays text from the on-board notebook.

## 2. Probe Controls (CTRL) Button

The Probe Controls Button (**CTRL** on the interface or **[Alt] [C]**) accesses three distinct functions:

- 1) **INVENTORY**: Provides access to and interfaces with the Organic Sample Data Bank;
- 2) **PRE-SCAN**: Toggles the Pre-Scan function (described below) ON or OFF;
- 3) **REBOOT**: Resets the probe in the event of mechanical failure. Activating this option does not erase any notes or DNA samples in the Data Bank.

## 3. Robotic Data Arm (ARM) Button

The **ARM** Button (**[Alt] [A]**) is used to either deploy or retract the robotic arm. It is controlled by clicking on the Video Feedback Screen at the docking point. This moves the Targeting Cursor to the desired location. The arm's primary use is linking with computer data ports.

## 4. Scan Initiation (SCAN) Button

The **SCAN** Button (**[Alt] [S]**) allows the Darwin probe to scan its front quadrant for organisms and DNA samples. There are two methods of scanning: Pre-Scanning and Manual Scanning. The operator can change the scan method with the Probe Controls Button (see above).

**Pre-Scanning** (also known as Auto-Scanning) eliminates the step of having to drag the Scan Box to locate samples but uses vital probe energy. If a sample is located, the operator must click on that sample to enhance the image. Pre-Scan is the default scan mode. If energy is exhausted, the operator must change to Manual Scan mode.



**Manual Scanning** is accomplished by clicking and dragging the Scan Box on the Video Screen. If a sample is found, Darwin will automatically enhance the image for acquisition.

## 5. Jamming Signal (JAM) Button

The probe can emit a jamming signal (with the **JAM** Button) that can be used to avoid observation and evade detection from a nearby hostile force. This jamming signal is only effective when in close proximity to the device to be jammed. In addition, **[Spacebar]** or **[Alt] [J]** can be used as a shortcut for the **JAM** Button.

A warning light directly beneath the Video Screen will highlight completely *yellow* when a threat approaches jamming range. When the warning light flashes *red*, the designated threat has approached imminent danger range.

**NOTE:** The jamming signal uses a significant amount of energy and should therefore be used in cases of *extreme emergency only*. If the probe runs out of energy, it will no longer be able to auto-scan or send a jamming signal and will eventually run down.

## 6. The Virtual Interface Monitor

The Virtual Interface Monitor displays text screens, video and dialog option screens from the probe's on-board computer, and/or a remote computer accessed via the remote data link.

## Map Buttons

The Remote Control Interface provides three map display modes. From left to right, these modes are as follows: plan view map for the probe's current location, plan view map of subject under observation, and 3-D area at-a-glance. The Darwin 5 probe shows up on the map as a white triangle whose point indicates the direction it is facing. Other organisms or objects under observation show up as an "X."

## 7. Plan View of Probe's Location

This plan view shows the probe's current location and its immediate surroundings. A shortcut to this button is **[Alt] [G]**.



## 8. 3-D Area-at-a-Glance

In locations where rigid, stationary structures compose the immediate environment, a 3-D mapping function is available which provides an axonometric view of the Darwin probe's location. The shortcut for this function is **[Alt] [O]**.

## 9. Plan View of Subject's Location

A subject of interest can be tracked and observed through use of this mapping function. The subject under observation appears as an "X" on the map. The shortcut here is **[Alt] [B]**.

## 10. Map Display Screen

The Map Display Screen shows the current map in one of the three modes explained previously.

## 11. Audio Feedback Speaker

The AFS provides audio feedback from the probe's current location.

## 12. Audio Volume Control

This slider adjusts the volume of the audio coming from the Audio Feedback Speaker. The operator can control the volume from low (left) to high (right).

## 13. Commands Execution Buffer LED

This green LED indicates that Darwin has received commands but is not yet able to act on them until current instructions are executed. Actions will be performed in the order they are received and can be flushed from memory with the **[Esc]** key.

## 14. Power Level Warning LED

The Power Level Warning LED warns the operator that the probe's power is dangerously low and may shut down at any time. Additionally, some of Darwin's more energy-consuming devices may not function.

## 15. NOTES Button

Clicking on the **NOTES** Button displays a layer of text on top of the Video Screen recalling all of the clues collected to that moment.



## 16. PAUSE Button

This stops the probe (and the game) so that the operator can perform necessary bodily operations without undue worry. Clicking anywhere on the screen will continue the game.





## 17. SAVE Button

The **SAVE** button will store the current game so that it can be resumed at a later time. The operator will then be presented with a dialog box to name the save game file.

## 18. QUIT Button

**QUIT** aborts the current mission, shuts down the Darwin probe and turns off the interface returning the operator to the desktop of his or her personal computer.

## 19. Horizontal Navigation Buttons

The **FWD**, **BKWD**, **RT** and **LFT** Buttons all operate independently and can be buffered with multiple movement commands. (Navigation functions can be duplicated on the keyboard by the , ,  and  keys.) The navigation buttons will highlight green identifying currently available options for motion. There are two modes of motion: constrained and unconstrained.

In **constrained motion mode**, depressing the **FWD** or **BKWD** arrow will move the probe short distances. Depressing the right or left arrow will rotate the probe 90°.

**NOTE:** For purposes of discrete motion, rotational movements are constrained to 90° increments, and forward, backward, upward and downward locomotion is constrained to short distances. These constraints protect against reckless misuse of the probe and allow for methodical and precise movement within the remote environment. In addition to these safeguards, the probe has a Collision Avoidance System (CAS-O1-23-A) which protects the probe against bumping into objects in its immediate location.

In **unconstrained movement mode**, the navigation arrows highlight with a green *double-arrow*. When Darwin moves

forward or backward in this mode, it will continue in that direction until it reaches an obstacle. In addition, when moving left or right, the probe will rotate 180°. The **[Tab]** key toggles between the two movement modes.

## 20. Vertical Navigation Buttons

When presented with an opportunity to move upwards or downwards, the **UP** and **DWN** Buttons will highlight and enable the probe to move in either direction. These buttons are duplicated on the keyboard by the **[Pg Up]** and **[Pg Dn]** keys.

## 21. Threat Warning Light

This light will flash solid yellow when the probe is about to be threatened. If there is a threat within striking distance, the bar will flash bright red. When this happens, the Jamming signal will operate effectively—temporarily disorienting the threat.

In addition to the visual signals, there will be an accompanying audio alert. The closer a threat's proximity, the higher pitched the audio warning will become.

## The Robotic Data Arm

The left-mounted robotic data arm is hydraulically controlled and equipped with a remote interface capable of docking with all standard computer data ports and portals. This allows Darwin to dump stored data often and provides more flexibility than previous models. The arm has an auto-lock feature which enables it to link to an external port automatically by clicking on the Video Screen at the location where the operator wishes the probe to dock.

## Transferring/Storing Data

Darwin's robotic arm can link remotely with external computer ports using a universal docking port adapter. Once docked, data is transferred from the host terminal through the probe and can be transmitted to a remote mainframe for storage and enhanced processing. Up to 500 gigabytes of data can be stored and analyzed using on-board RAM in Darwin 5. Because many



molecules (such as DNA) are very complex, on-board data storage may fill to capacity. If this happens, the operator will be prompted to delete a previously saved sample or ignore the current sample.

### Docking to Data Ports

Docking with an external computer port is smooth and easy. The operator simply clicks on the Video Screen with the Targeting Cursor in the docking location, and the Darwin 5's arm will automatically link to the door port or computer.

**NOTE:** The Docking Robot Arm on Darwin is designed only as a remote computer link. It is not designed (and does not possess the hardware necessary) to manipulate objects or lifeforms in the remote environment.

### Scanning/Acquiring and Using Organic Samples

Darwin uses a Bioactive Random Pattern DNA Search Device (BRP/DSD) to continuously monitor levels of organic compounds within its general vicinity (10' radius). Samples of microscopic organic materials, microscopic lifeforms and tissue samples of larger lifeforms can be gathered inconspicuously by utilizing a Micro-Materials Replication/Synthesis device. Organic elements and compounds which register at levels above standard guidelines for lifeforms will trigger a pattern recognition alert giving the operator the option to investigate further. Monitoring the concentration of organic elements using the Scan Direction Indicator in the Virtual Interface Monitor will help pinpoint exact locations of samples. The operator can use the **SCAN** Button on the Remote Interface to pinpoint and identify organic compounds found by the probe.


### Scanning Modes

The Darwin 5 probe has two scanning modes: Pre-Scan and Manual Scan.

As the probe moves about its environment, its sensors are constantly looking for organic substances. Human DNA will register on your sensors as well as DNA from other lifeforms. The Scan Direction Indicator (pictured on the next page) shows



the location of organic materials by displaying animated bars which represent the presence of DNA in four 90° quadrants (front, right, rear and left respectively). The diagram below displays the location of each quadrant with respect to the direction the probe is facing.



When Darwin is facing the direction of an organic sample, the operator can hit the **SCAN** Button to locate it. (If the probe's Pre-Scan mode is ON, the locations of DNA samples will automatically appear on the screen.) When a sample area is clicked on, the image will enhance and display the results of the probe's search. The remote operator may then choose to acquire the sample or ignore it by selecting the appropriate button. This choice will depend on the importance of the sample and whether or not the Darwin 5's data storage is full.

In Pre-Scan mode, it is easier to find and acquire DNA samples, but Pre-Scan uses energy from the probe's reserves. Manual Scan mode does not use any probe power, but each location and direction needs to be scanned by hand. The Scan Direction Indicator operates the same way, except when the probe is facing the direction of an organic sample. The operator must first click the **SCAN** Button and then click and drag the Scan Box on the Video Screen to locate a sample. When the operator releases the mouse button over a sample, that sample will enhance and the same acquisition options will be presented as in Pre-Scan mode.



EGNDOC-DSZ-001

DSZ/D-5 OPERATIONS MANUAL

## Using Organic Samples

Synthesized DNA strands are automatically processed by the probe which attempts to determine what kind of DNA it is. If it is human DNA, the probe will attempt to identify who it belongs to. The probe is capable of storing up to three (3) complete synthesized DNA strands.

## Navigation Techniques/Evasive Maneuvers

It may be necessary to elude potentially dangerous lifeforms or geological conditions in a remote environment. The Darwin 5 probe is not built for speed and relies mainly on the intelligence of the operator to avoid dangerous situations. Because of this, it is best to rely on the map modes giving both the probe's location and the location of the subject under observation. Once you have learned the behavioral patterns of your subject, you will be able to anticipate its moves and react accordingly.

PAGE 11 OF 11

## Using The Ship's Computers

The doomsday weapon and the *Obrian* are controlled by the on-board computer. Once you have obtained the crew members' DNA, you will be able to access restricted areas of the computer which control ship's navigation, weapons and security. Because the virus on board mutates DNA, the Captain and other officers were unable to override the computers. However, before they died, they were able to rig bypass sequences that trigger certain events once you have input the right bypass codes. These codes can be found in video messages left by the crew on various computer terminals throughout the ship. When you arrive at a terminal with a hidden message, the alert "Message in Data Port" is displayed. Use Darwin's robot arm to log onto the terminal and click on the message button to view the message.

After you have watched the video, the vital portions of the clues will automatically be recorded in your probe's notes and can be recalled later as on-screen notes. You can recall these notes when you are navigating through the computer screens by clicking on the **NOTES** Button on your interface. These notes contain the procedures and codes to stop the ship.

Now that you are fluent with the features of your probe and its operating interface, it may be helpful for you to become familiar with the capabilities of your foe on board the *Obrian*: **The Defender Robot**

## Defender Robot Briefing

22 OCT 2378

Vessel ID SCI-IND-00723S-1.69, *SS INDIANA*


Crew Complement: 2

**The Defender Robot:** The Defender is a highly proficient sentry robot used aboard deep-space military vessels and outposts as a guardian and fail-safe device. It is programmed to deploy itself in cases of extreme emergency, and its primary duty is protecting secret cargo or carrying out top-secret deployments.

The Defender is remotely linked with a central computer and is capable of performing *all* computer, ship or station functions. *The Defender can override any orders programmed into the computers by an infiltrator.*

**Defense Mechanisms:** The Defender possesses two retractable laser blasters capable of vaporizing most substances, including flesh and steel. Once deployed, it is programmed to destroy all intruders and maintain the integrity of its mission at all costs.

The Defender will destroy anything it considers threatening on sight. It does not possess an intelligence module capable of reasoning or negotiation. It knows only its current mission and its programmers' authorization code. The diagrams of the Defender that follow are highly restricted and have just been cleared for controlled release.



End Transmission







## Hints and Tips

If you're having trouble figuring out what to do, how to stay alive, how to win the game or if you just want some general clues and hints, read this section.

**WARNING!** Reading this portion of the manual will greatly reduce the challenge of figuring out the game for yourself and could reduce your playing time.

## Skill Levels

- The Beginner Skill Level is designed as a relatively easy game. DNA clues and video messages are abundant, and the Defender robot is slower.
- Skill Levels above Beginner are more challenging. Not only is the Defender faster, it is also smarter. Every time you open a door or plug into a data port, the Defender will move towards that location. (You can use this as a way to lure the Defender to its death or to lure it away from areas you wish to explore.)

## DNA

- There are three levels of crew DNA. High-ranking crew DNA will allow you to access the video messages and computers. These are the Commander (William Parrish), Lieutenant Commander (Catherine Ingram), Chief Engineer (Joseph Geist) and the Weapons Specialist (Robert Benedetti).
- The Medical Officer (Jacob Blatman) and the Security Officer (Tatyana Semenovskiy) are crew members who had access to most of the ship, but not to the codes for the weapons or ship controls. Their DNA will act as skeleton keys, allowing you to travel freely throughout most of the rooms where you'll find the higher level DNA.
- Other crew members' DNA will provide access to some rooms, depending on that crew member's function and rank. Non-human DNA will not help you.
- In higher levels (Intermediate and Advanced), high-ranking DNA will always be found in rooms, never in hallways or common areas.
- The higher the level, the fewer the number of DNA clues and video messages.

## Movement

- Use ladder chutes to move undetected between floors. But be careful! The Defender moves quickly in ladder chutes, but does not use elevators.
- There is a "secret" dead-end ladder chute that the Defender won't use. You can hide in it undetected.
- Use the **Tab** key for unconstrained movement when traversing a long corridor. You'll move quicker and save time by avoiding the complete stops from doorway and side passages.

## Going from Phase 1 to Phase 2

- After you find the Captain's, First Officer's and either the Chief Engineer or Weapons Specialist's DNA, you will have completed Phase 1 of the game. Your probe's power will be restored and the video messages will be available to you, should you come to a port that contains one.
- When you have completed Phase 1, search for computer data ports on desks and walls. If there is a video message at a port, the Virtual Interface Monitor will display "Message in Data Port." You can then plug in and play the message. You need not remember the messages' contents; the key portion including the code will be recorded in your probe's memory and will be available as on-screen notes.

---

## Technical Notes and Credits

In case you're interested:

We have gone to great lengths to design a product that offers exciting gameplay without the distractions of long file loads and other CD-ROM media related delays. Most of the animation in *Iron Helix* takes place in relatively small windows so that we can maintain a smooth and consistent frame rate. The smaller window means less information needs to be pulled from the CD, so more animation can be played faster than if larger images were being used. We seriously weighed the trade-offs between larger graphics and load times, and decided that it was load times and delays which cause much of the frustration with CD-ROM products. As playback technology becomes more powerful, games will get faster and more detailed. The advent of QuickTime is paving the way for new media developers to make products that look and feel more like television and movies. Although we do not use QuickTime in *Iron Helix*, it is important to note that *Iron Helix* would not have happened without it. QuickTime inspired the game concept and played a key role during production of the game.

Credit should be given where credit is due, and credit for the playback performance of *Iron Helix* needs to be given to The Company of Science and Art (CoSA) and their PACo Producer. PACo Producer compresses animation files into a file format that is optimized for minimal RAM requirements, rapid loading and smooth playback.

If you have any comments about how *Iron Helix* was made or questions about any of the other great products used in its creation, please call us and we'll give some more information. Here's how we can be reached:

**Drew Pictures**  
**246 First Street**  
**Suite 402**  
**San Francisco, CA 94105**

**(415) 247-7600**  
**(415) 974-6733 Fax**  
**America Online: DREW PIX**  
**AppleLink: PICTURES**



## Software Products Used to Make *Iron Helix*

*Electric Image Animation System* (3-D Rendering and Animation), *Macromedia Director* (Interactive Program Shell), *Adobe Photoshop* (Paint and Image Processing), *Macromedia Swivel 3-D Professional* and *MacroModel* (3-D Modelling/Design), *PACO Producer* (Animation Playback and Compression), *Deneba Canvas* (2-D Design (including floorplans and ship design)), *TextureSynth* (Amazing Microscopic Materials and DNA Stuff), *Adobe Premiere* (Live-Action Video Editing and Animatics), *Microsoft Word* (Game Databases and Script Writing), *Polytechnics* by Shaman Exchange

## Hardware Used to Make *Iron Helix*

Macintosh IIx's, Quadra 700's, tons of RAM, big and fast FWB Hammer drives, Epson scanner, a video digitizing board and too many other peripherals to list

## Creators of *Iron Helix*

### Drew Pictures

#### Drew Huffman

Producer/Director, Story and Concept, 3-D Modelling and Industrial Design, Animation and about a thousand other things

#### Vinny Carrella

Assistant Producer, Digital Microscopy, Script, Story and Manual Writing, Live-Action Video, Marketing/Public Relations and about a thousand other things

#### Rich Cohen

Creative Director, Art Direction, Color and Lighting, 3-D Rendering, Interface Graphics, Animation, Photoshop Mentor and about a thousand other things

#### J.A. Nelson (Macintosh version)

Interactive Programming, Interface Design and about a thousand other things

#### Bill Zettler (PC version)

Interactive Programming, Interface Design and about a thousand other things

#### Erin Manning

Business Administration, Product Testing and about a thousand other things

#### Peter Stone

Original Music Sound Tracks and Sound Effects

#### Charles Rose

3-D Rendering, Image Compositing and Animation

#### Chris Green

Special Visual Effects and Virtual Pyrotechnics

#### Larry Chandler

Ship's Computer Screens and Microscopy Animation Processing

#### Phill Simon

Technical Director of Live-Action Video Sequences

**Scott Burgess**

Special Programming Assistance

**Alex Louie**

Special Programming Assistance

**Mark Sullivan**

Special Graphics and Design Assistance

**Fred Sharpels**

Production Assistant

**Dave Shields**

Initial Prototype Programming and Additional X-Object Programming

**Anna Esquavel**

Production Assistant

**Alicia Strain and Stephanie Winters**

Live-Action Characters

**Jim "Goopy" Rossi** and everyone at Arborescence

Technical Assistance on Live-Action Sequences and Free-running Demo

**Spectrum HoloByte**

**Meg Storey**

Product Manager

**Robert Giedt**

Manual Layout/Design, Editing and a Smidgen of Writing and Art

**Marisa Ong**

Manual Editing

**Kathryn Lynch**

Product Marketing Manager

**Carrie Galbraith**

CD-ROM Art, Deck Plans and General Graphic Arts Sorceress

**Kurt Boutin**

Head of Quality Assurance Dudes

**Derwin Wyatt**

Lead Quality Assurance Dude

**Sean Blair**

Another Quality Assurance Dude

**Aaron Podway**

Another Another Quality Assurance Dude

**Guymond Louie**

Production Guru

**Special Thanks to:**

The Design Firm of Wong & Yeo, Judy Biletznikoff, Tom Byron, Pat Feely,  
Barry James Folsom, Barbara Gleason, Rita Harrington, Lucija Kordić, Harvey Lee,  
Sharon LoSasso, Gilman Louie, Ron Martinez, Ann Pratt



## Keyboard Commands

### Movement

- |   |                         |
|---|-------------------------|
| [↑] Move Probe Forward                          | [←] Rotate Probe Left   |
| [↓] Move Probe Backward                         | [→] Rotate Probe Right  |
| [Pg Up] Move Probe Up                           | [Pg Dn] Move Probe Down |
| [Tab] Toggle Unconstrained/Constrained Movement |                         |

### Map Functions

- |   |   |
|---|---|
| [Alt] [G] Plan View of Probe's Location | [Alt] [B] Plan View of Subject's Location |
| [Alt] [O] 3-D Area-at-a-Glance          |   |


### Miscellaneous

- |                                       |                                |
|---------------------------------------|--------------------------------|
| [Alt] [A] ARM Button                  | [Alt] [C] CTRL Button          |
| [Alt] [J] or [Spacebar] JAM Button    | [Alt] [S] SCAN Button          |
| [Alt] [P] Pause                       | [Alt] [Q] Quit to Intro Screen |
| [Enter] Open Door/Zoom in to DNA Scan | [Esc] Clear Keyboard Buffer    |


*any number key* Elevator Floor or Entering Access Codes

## Jeremiah Obrian Deck Plans


DECK 1: BRIDGE




DECK 4: SHUTTLE/UTILITY




DECK 2: MAIN




DECK 5: WEAPONS/ENGINEERING



DECK 3: SHUTTLE CONTROL



DECK 6: LOADING/WASTE



## **Spectrum HoloByte, Inc. Ninety-Day Limited Warranty**

To the original purchaser only, Spectrum HoloByte warrants the magnetic disc on which this software product is recorded to be free from defects in materials and faulty workmanship under normal use for a period of ninety days from the date of purchase. If during this ninety-day period the disc should become defective, it may be returned to Spectrum HoloByte for a replacement without charge, provided you have previously sent in your Warranty Registration Card to Spectrum HoloByte or send proof of purchase of the program.

Your sole and exclusive remedy in the event of a defect is expressly limited to replacement of the disc as provided above. If failure of a disc has resulted from accident, abuse or neglect, Spectrum HoloByte shall have no responsibility to replace the disc under terms of this limited warranty.

If the disc should fail after the original ninety-day limited warranty period has expired, you may return the disc to Spectrum HoloByte at the address noted below, accompanied by a check or money order for the applicable replacement

fee (please contact Customer Support for the exact cost), a brief statement describing the defect, and your return address. Spectrum HoloByte will replace the disc provided that you have previously returned your Warranty Registration Card to Spectrum HoloByte, and the disc retains the original product label.

ANY IMPLIED WARRANTIES RELATING TO THE DISC, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO A PERIOD OF NINETY DAYS FROM DATE OF PURCHASE. PUBLISHER SHALL NOT BE LIABLE FOR INDIRECT, SPECIAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THIS PRODUCT. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATIONS MIGHT NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

---

## **Spectrum HoloByte, Inc. Software License Agreement**

THE ENCLOSED SOFTWARE PROGRAM IS LICENSED BY SPECTRUM HOLOBYTE, INC. TO CUSTOMERS FOR THEIR USE ONLY ON THE TERMS SET FORTH BELOW. OPENING THIS PACKAGE OR USING THE ENCLOSED DISC INDICATES YOUR ACCEPTANCE OF THESE TERMS.


Spectrum HoloByte hereby grants you a non-exclusive license to use the enclosed software and manual subject to the terms and restrictions set forth in this Software License Agreement.

This manual and the software accompanying it are copyrighted, with all rights reserved. You may not copy or otherwise reproduce any part of the software or the manual, except that you may load the software into a computer as an essential step in executing the software on the computer. The original and any back-up copies of the software and the manual are to be used only in connection with a single computer. You may physically transfer the software from one computer to another, provided that the software is used in connection with only one com-

puter at a time. You may not transfer the software electronically from one computer to another over a network. You may not distribute copies of the software or the manual to others: YOU MAY NOT USE, COPY, MODIFY, TRANSFER, SUBLICENSE, RENT, LEASE, CONVEY, TRANSLATE, CONVERT TO ANY PROGRAMMING LANGUAGE OR FORMAT OR DECOMPILE OR DISASSEMBLE THE SOFTWARE OR ANY COPY, MODIFICATION OR MERGED PORTION, IN WHOLE OR IN PART, EXCEPT AS EXPRESSLY PROVIDED FOR IN THIS LICENSE.



Spectrum HoloByte, Inc.  
2490 Mariner Square Loop  
Alameda, CA 94501




**EGN**

## CERBERUS CLASS DESTROYER

TOP VIEW



SIDE VIEW



0 80 160 240 320 400  
SCALE IN FEET

- Origin:** Kevla Jackson Shipyards (Mars)
- Type:** CCV Destroyer
- Built:** 2358-present
- Service:** Earth Galactic Navy (15 in service),  
Kakatal Royal Navy (5 in service),  
Earth Biosphere Guard (2 in service)
- Tonnage:** 32,600
- Engines:** One Khonshu Technologies/Westinghouse WK330 Warp Drive
- Weapons:** 16 Lumina-3 Lasers (side),  
1 KP7 Ion Cannon (front)
- Complement:** 5 (minimum)  
12 (recommended)